

AURORA

INSTALLATION MANUAL

GR0001
V1



AURORA INSTALLATION MANUAL

Identification components and parts

GREY PANEL

AURORA LATERAL


LED STRIP




LEDS
STRIPS
UNION

LIGHT
POWER
BUTTON


AUDIO
GIRD




CORNER
FIXATION
HOLES



LATERAL
SUPPORT
HOOK




COVER SURE LOCK
FASTENER POSITION
(Removable sticker)



GREY
PANNEL
CLIPS

CORNER
FIXATION
NUTS



CORNER
LED STRIP
CLIP



LED STRIP

AURORA

01






FIND ELECTRICAL CONNECTIONS AURORA PANEL

FIND POWER LIGHT BUTTON

LIGHT
POWER
BUTTON




02

REMOVE TWO GREY PANELS. UNCLIP TOUCH SWITCH.

TOUCH
SWITCH

03



FIND AND DISCONNECT THE LEDS STRIPS CONNECTIONS.

LEDS STRIPS
CONNECTORSEXTRACT THE
LEFT END LED
STRIPCORNER LED
STRIP CLIP

AURORA

04









UNSCREW THE TWO SCREWS OF THE CORNER

CORNER FIXATIONS
SCREWS

05

REMOVE LATERAL AURORA PANEL


UNCLICK FIXATIONS. PULL AND PUSH TO THE LEFT. ROTATE AND PULL UP.

OUT OF
SPA SHELLFOAM
PROTECT


AURORA

06

REMOVE ISOLATION FOAM PANELS. LOCATE THE CONTROL SYSTEM



ISOLATION FOAM



CONTROL SYSTEM


07

SPA INSTALLATION




See "SM-USO/INS-PR" USER OPERATION & INSTALLATION MANUAL SPA FOR PRIVATE USE

08



STEPS IN THE REVERSE ORDER

08.1
PUT ISOLATION FOAM PANELS.



ISOLATION FOAM


08.2
PUT AURORA LATERAL PANEL. LOCATE LATERAL SUPPORTS HOOK ON STRUCTURAL SUPPORTS.

STRUCTURAL SUPPORTS




CLICK FIXATIONS

LATERAL
SUPPORT
HOOK




08.3
FIX PANEL CORNER.

CORNER FIXATIONS
SCREWS



08.4
RECONNECT LEDS STRIPS




AURORA


09

MARK THE HOLES FOR THE COVER SURE LOCK FASTENER. 4 grey panels.



Ø2mm



COVER SURE
LOCK FASTENER
(See cover
packaging)



COVER SURE LOCK
FASTENER POSITION
(Removable sticker)






09.1

REMOVE STICKER (x4)




10

SCREW THE COVER SURE LOCK FASTENER. 4 grey panels.






11

CLICK 4 GREY PANELS.




TOUCH
SWITCH



12

SPA COVER AURORA



MAINTENANCE



Wash the parts only with neutral soap and a soft cloth.

Avoid corrosive products.

Avoid abrasive utensils.

Avoid cutting utensils.

Do not use pressurized water under any circumstances.

